



## Material Safety Data Sheet

Issue Date: October 2017

### Statement of Hazardous Nature:

“Not classified as hazardous according to criteria of the National Occupational Health and Safety Commission”

---

### Company Details

---

Issued by:	Organic Crop Protectants Pty Ltd 61 Turrella St, Turrella NSW 2205 Australia.
ACN:	003 149 719
Telephone:	(02) 9599 8767
Emergency Telephone:	(0419) 997 566
Fax Number:	(02) 9599 8010
Website:	<a href="http://www.ecoorganicgarden.com.au">www.ecoorganicgarden.com.au</a>

---

### Identification

---

Product Name:	eco-flo gypsum
Product Code:	OCP SYFG
UN Number:	None allocated.
Dangerous Goods Class:	None allocated.
Hazchem Code:	None allocated.
Poisons Schedule:	Not scheduled.

---

### Use

---

Major Use:	Liquid substitute for powdered gypsum to improve soil structure, reduce sodium levels and boost calcium and sulphur levels in soils.
------------	--------------------------------------------------------------------------------------------------------------------------------------

Application: May be used with knapsack spray, trigger sprayer and water can.

---

### Properties

---

Appearance: Beige opaque liquid.

Boiling Point: No data available

Vapour Pressure: Not applicable.

Specific Gravity: 1.65kg/L

Flashpoint: Not applicable.

Flammability: Not applicable.

Solubility in Water: Not applicable.

---

### Ingredients

---

	CAS NUMBER	Proportion
Calcium Superfine as Carbonate	1317-65-3	>25%
Sulphur micronised	7704-34-9	>10%
Seaweed extract	68917-51-1	≥1%
Inerts	Proprietary	>70%

---

### Health Hazard Information

---

Health Effects: For short term exposure by all routes eco-flo gypsum is considered to be practically non-harmful. When used in mixtures with toxic substances, the mixture has the properties of the toxic substances and the MSDS for the toxic substances should be consulted.

#### *Acute*

*Swallowed:* Ingestion of large amounts may cause gastrointestinal irritation.

*Eye:* May cause mild irritation. Effects may be delayed.

*Skin:* May cause some mild irritation, including drying of the skin.

*Inhaled:* Inhalation of the dried, powdered material may cause irritation of the respiratory tract.

#### *Chronic*

Non sensitising effect.

### *First Aid*

<i>Swallowed:</i>	Seek medical advice if swallowed in large quantities. Rinse the mouth with water. Give plenty of water to drink.
<i>Eye:</i>	Irrigate continuously with water for 15 minutes, including under eyelids. It is a sensible precaution to seek medical advice.
<i>Inhaled:</i>	Not applicable.
<i>Advice to Doctor</i>	Treat symptomatically.

---

### **Precautions for Use**

---

Exposure Standards:	No information available. Use sensible work practices to reduce operator exposure.
Personal Protection:	
Eye Protection:	Industrial safety glasses.
Clothing:	Wear normal industrial clothing.
Flammability:	
Fire Hazards:	Not flammable.
Source of Ignition:	Not applicable.
Hazchem Code:	Not allocated.

---

### **Safe Handling Information**

---

Storage and Transport:	Safe to handle. No specific requirements.
Clean Up and Spills:	Absorb on sawdust or other suitable material. Mop up and dispose of in landfill according to local rules.
Waste Disposal:	By disposal in approved landfill.
Fire/Explosion Hazard:	Not dangerous.
Chemical Reactivity:	Not applicable.

---

### **Contact Points**

---

Contact:	Gary Leeson
Phone:	(02) 9599 8767 (work) (0419) 997 566 (emergency)

---

The MSDS has been developed according to the WORKSAFE Australia / NDHSC Code of Practice.