



FOLIASTIM Calcium SC

Foliar Calcium Solution

ACTIVE INGREDIENTS: Calcium 30% w/v, Seaweed Extract 22.5% w/v

- Optimises calcium nutrition
- Increases nutrient use efficiency (NUE) of calcium
- Enhances plant resistance to abiotic stress during critical stages
- Helps fight against calcium related physiological disorders
- Increases fruit firmness and shelf life
- Synergistic effect between seaweed and nutrients

CONTENTS 800 L ORGANIC CROP PROTECTANTS 1956 Dandenong Rd, Clayton VIC 3168 Telephone: 1800 634 204 (Free Call) ocp.com.au FoliaStim™ Calcium SC is a highly concentrated suspension of 30% w/v calcium formulated with 22.5% w/v seaweed. A real innovation in the world of foliar calcium solutions, it's the first product on the market to combine highly concentrated and bio-active seaweed and calcium at such a high level. FoliaStim™ Calcium SC brings needed calcium during critical fruitset and fruit growth stages, without nitrate, chloride or sulfate, making it a unique solution for such applications.

DIRECTIONS FOR USE

ſ	Crop	Application Timing	L/ha/ application	Conc. % (w/v)
1	Tomato	3-6 applications: As of fruit setting, 10-14 day intervals	2-3	0.7-1.0
Ī	Pepper	3-6 applications: As of fruit setting, 10-14 day intervals	2-4	0.7-1.3
ŀ	Tablegrape	3-5 applications: Starting early berry set, until bunch closing, before veraison	2-4	0.5-1.0
	Cherry*	2-3 applications: After petal fall, 7-10 day intervals	2-3	0.3-0.5
,	Apple**	4-8 applications: As of petal fall, 7-10 day intervals	3-5	0.5-0.8
•	Cucurbits	3-6 applications: As of fruit setting, 10-14 day intervals	2-3	0.7-1.0
	Strawberry	2-4 applications: As of fruit setting, 10-14 day intervals	1.5-2.5	0.5-0.8

*Cherry: Not recommended for stain-sensitive varieties.

**Apple: Only recommended if cleaning process is applied before market entry.

In case of foliar feeding as part of a mix with crop protection products or other fertilisers, a compatibility test has to be done prior to preparing the spray-mix. The mentioned indicated dosages and application stages are given as a guideline. Exact dosages, concentration and application stage are subject to local conditions and use of other fertilisers and can only be given after an objective diagnosis.

STORAGE AND DISPOSAL: Stir well before use. Storage temperature: 0 - 30°C. Store the product in the original packaging. Keep in a dry, well ventilated area, away from sunlight and heat. Triple rinse container and dispose in an environmentally responsible manner.

FIRST AID: If poisoning occurs, contact a Doctor or Poisons Information Centre (Phone Australia 131 126). If medical advice is needed, have product container or label at hand.

FOR EMERGENCIES ONLY, CALL AUSTRALIA 1800 220 770 (ALL HOURS)

SDS: Additional information is listed in the Safety Data Sheet available from the supplier and ocp.com.au

Manufactured by:



FoliaStim is a trade mark of Van Iperen International and the OCP Drop Device is a registered trade mark of Organic Crop Protectants. **BATCH NO:**

DOM:

