



Organic Carbon: 14% w/w Amine Nitrogen: 6.4% w/w

Chelate Carboxylate Mannitol Complex

PLANT FUNCTION

- Cell wall formation & elasticity Sugar transportation Helps calcium translocation
- Flower retention, pollen formation & germination Assists with hormone production

DEFICIENCY SYMPTOMS

- Appear at growing points
 Stunted plants
 Dead or misshapen young leaves
- Red pigmentation in leaves Hollow stems & fruit Low seed production
- Flower, bud or fruit drop



ORGANIC CROP PROTECTANTS

1956 Dandenong Rd, Clayton VIC 3168 Telephone: 1800 634 204 (Free Call)

ocp.com.au



contents 25 kg

GENERAL INFORMATION

Aminogro® MAXi Boron provides plants with a boron chelate using L-form free amino acids and other simple organic sugars and acids. Nutrients are absorbed and shuttled around inside plants in the form of amino acids, simple sugars and acids so OrganoPLEX™ is an efficient way of delivering and mobilizing boron in plants. The organic carbon in Aminogro® MAXi Boron also enhances microbial activity in soil which assists the plant accessing boron and other nutrients when applied to the soil.

DIRECTIONS FOR USE:

The rates below are a guide and dependent upon soil and sap tests throughout the growing season. Foliar applications of boron are more effective than soil applications. Consult your OCP Agronomist for further advice.

Tree Crop	Rate	Application Timing
Pome Fruit	1-2 kg/ha	1. 1-2 weeks before flowering
	J	(if better fruit set is desired)
		2. 1 month after fruit set
		3. 2 months before harvest
		4. 2 weeks before harvest
Stone Fruit	1-2 kg/ha	1. 1 week before flowering
		(if better fruit set is desired)
		2. 2-3 weeks later
		3. 2-3 weeks later
	45051 //	4. 2 weeks before harvest
Nuts	1.5-2.5 kg/ha	1. 2 -3 weeks after nut set
		2. After picking to extend leaf
Bananas	1-2 kg/ha	function & sugar accumulation With seasonal applications of
Dallallas	1-2 Ky/IIa	potassium & nitrogen
Vine Cren	Dete	·
Vine Crop	Rate	Application Timing
Table Grapes	1-2 kg/ha	1. 1 week before flowering
		2. 4 weeks later
		3. 2 weeks before harvest
Wine Grapes	1-2 kg/ha	4. Post harvest 1. 1-2 weeks before flowering
wille drapes	1-2 Ky/IIa	2. Veraison
		3. Post harvest
Strawberries/	1-2 kg/ha	Begin just before flowering & repeat
Blueberries	. = Ng/114	as sap results indicate
Protected Crops	Rate	Application Timing
Hydroponic run to	200 q/10,000 L	Consult OCP agronomist for
waste & NFT crops	3 1,111	crop specific requirements
Nursery Stock	Foliar	If deficiency is detected consult OCP agronomist

Field Crops	Rate	Application Timing
Cereal, Soybeans	2-3 kg/ha	As required by soil test
		results
Leafy Veggies	1-2 kg/ha	1. 4 leaf stage
Lettuce	O kar/ba	2. Every 14 days until harvest
Carrots, Onions,	2 kg/ha	1. 2 weeks after emergence
Leeks, Turnips		At root enlargement By the second s
Brassica,	2 kg/ha	1. 6-8 true leaf stage
Crucifer	2 Ng/Hu	2. 10-14 days later
0.00.0.		3. At head initiation
Bean & Peas	2 kg/ha	1. 4-6 true leaf stage
		2. At first bloom
		3. At first pod
Potatoes,	2 kg/ha	1. (Seed treatment optional)
Yam, Taro		2. At tuber set
		3. Early bloom
Sweet Corn	2 kg/ha	1. 2-6 true leaf stage
		2. 50-75cm growth
<u> </u>	0.1. //	3. Just prior to tasselling
Tomato,	2 kg/ha	1. 15-20 cm
Capsicum		2. First pre-bloom
Cucurbits	2 ka/ba	3. 7 days later 1. 4 true leaf stage
Gucuibits	2 kg/ha	2. Pre-bloom
		3. First fruit set
Professional Turf	Rate	Application Timing
Greens & Tees	-1	
ureens & rees	200 g/1000 m ²	As required by soil test
Fairways	1 kg/ha	As required by soil test

COMPATIBILITY

Aminogro® MAXi Boron can be mixed with most horticultural sprays. However, the performance of some sprays may be affected by high cation levels like calcium, potassium and phosphorus. It is best to apply these sprays separately or conduct a jar test to determine compatibility in the ratios they are to be used. Always check pesticide labels for compatibility with foliar fertilisers, or test the mixture on a small area before widespread application.

For further information contact Organic Crop Protectants
Free Call: 1800 634 204 Email: info@ocp.com.au
FOR EMERGENCIES ONLY, CALL AUSTRALIA 1800 033 111 (ALL HOURS)

Aminogro and the OrganoPLEX device are registered trade marks and the OCP drop device is a trade mark of Organic Crop Protectants

